Generic Name	Brand Name	Limit	Notes	Date
Analgesics		-		
	on-Steroidal Anti-Inflammatory D	Drugs (NSAI	Ds)	
	COX-2 Inhibitors			
Cumulative limit of 60 units in 30 days				
celecoxib	Celebrex	60		٨
	Non-Selective			
Ketorolac is limited to a 5 day supply v	with a max of 4 tablets per day. No more th	nan one course	may be filled per 180 days.	
ketorolac		20		٨
	Opioids			
	Short Acting			
	elow, a Morphine Equivalents Daily (MED) 90 MED for members who have not had arm in the last 90 days.			D for
CA (cancer pain): The MED limit and t related pain on the face of the prescrip	he drug-specific limit may be overridden if otion (G89.3 Neoplasm related pain).	the prescriber	writes a valid ICD code for ca	ancer-
"initial" if the drug has not been filled for	y supply or 3 day for dental providers requor the patient in the past 60 days. Subsequantity prescribed is less than or equal to the	uent prescriptio	ns may be for a 30 day supplimit.	
codeine sol		1,800ml	¶ Metastatic cancer diagnosis	01/30/17
codeine tab		180	only.	01/30/17
fentanyl patch	Duragesic	10		07/01/18
fentanyl [¶]	all except patches	N/A		01/30/17
hydromorphone sol (1mg/ml)	Dilaudid sol	480ml		01/30/17
hydromorphone sup	Dilaudid sup	90		01/30/17
hydromorphone tab	Dilaudid tab	90		01/30/17
levorphanol		60		01/30/17
meperidine sol	Demerol sol	240ml		01/30/17
meperidine tab	Demerol tab	56		01/30/17
morphine con (10mg/ml)		240ml]	01/30/17
morphine con (20mg/ml)		120ml		01/30/17
morphine sup		90		01/30/17
morphine tab		90		01/30/17
oxycodone 20mg, 30mg	RoxyBond	90		01/30/17
oxycodone 5mg, 7.5mg, 10mg, 15mg	Roxicodone, RoxyBond, Oxaydo	120		01/30/17
oxycodone con (20mg/ml)		120ml		01/30/17
oxycodone sol		600ml		01/30/17
oxymorphone	Opana	90		01/30/17
tapentadol	Nucynta	90		01/30/17
tramadol	Liltram	100	7	01/20/17

	Effective February 1, 2019			
Generic Name	Brand Name	Limit	Notes	Date
	Long Acting			
Fentanyl is mutually exclusive with Methan other long acting opioids. All other opioids			mutually exclusive with Fenta	anyl and all
In addition to the drug-specific limits below opioid/APAP combination products is 90 Members who have had an opioid claim in	MED for members who have not had an o			
CA (cancer pain): The MED limit and the orelated pain on the face of the prescription		e prescriber	writes a valid ICD code for o	cancer-
buprenorphine buccal	Belbuca	60	¶ Metastatic cancer diagnosis	01/03/17
buprenorphine patch	Butrans	4	for 100mcg strength	01/03/17
fentanyl patch [¶]	Duragesic	10		01/03/17
hydrocodone ER	Hysingla ER, Zohydro ER	60		01/03/17
hydromorphone ER	Exalgo	30		01/03/17
methadone 5mg, 10mg	Dolophine	20mg/day		01/03/17
methadone 40mg		20mg/day		01/03/17
morphine beads ER cap		30	1	01/03/17
morphine ER cap	Kadian	30	1	10/01/18
morphine ER tab >15mg	Arymo ER, MorphaBond, MS Contin	60	1	01/03/17
morphine ER tab 15mg	Arymo ER, MorphaBond, MS Contin	90	1	01/03/17
morphine/naltrexone	Embeda	30	1	01/03/17
oxycodone ER	OxyContin, Xtampza ER	60	1	01/03/17
oxymorphone ER		60	1	01/03/17
tapentadol ER	Nucynta ER	60	1	10/02/17
tramadol ER	Conzip ER, Ultram ER	30	1	01/03/17
	Opioid Combinations	<u> </u>		
In addition to the drug-specific limits below opioid/APAP combination products is 90 M members who have had an opioid claim in CA (cancer pain): The MED limit and the crelated pain on the face of the prescription	MED for members who have not had an of the last 90 days. drug-specific limit may be overridden if the	pioid claim i	n the last 90 days, or 180 M	ED for
Initial prescriptions that exceed a 7 day su "initial" if the drug has not been filled for the not require prior authorization if the quanti	apply or 3 day for dental providers require the patient in the past 60 days. Subsequer	nt prescriptio	ns may be for a 30 day supp	
carisoprodol/asa/codeine		30		01/30/17
codeine/apap liq	Capital/codeine	450ml		01/30/17
codeine/apap tab	Tylenol/codeine	120]	01/30/17
dihydrocodeine/apap/caf	Dvorah, Panlor	120		01/30/17
hydrocodone/apap 7.5/325mg/15ml sol		1,800ml		01/30/17
hydrocodone/apap 10/300mg/15ml sol	Lortab sol	1,800ml		01/30/17
hydrocodone/apap 10/325mg/15ml sol	Zamicet	1,800ml]	01/30/17
hydrocodone/apap tab (all strengths)	Lortab, Norco, Xodol	120]	01/30/17
hydrocodone/ibu	Ibudone, Reprexain, Xylon	120		01/30/17
oxycodone/apap sol		600ml		01/30/17
oxycodone/apap tab (all strengths)	Percocet, Primlev	120		01/30/17
oxycodone/asa		120		01/30/17
oxycodone/ibu		120		01/30/17
pentazocine/naloxone		120		01/30/17
tramadol/apap	Ultracet	120		01/30/17

Generic Name	Brand Name	Limit	Notes	Date
	Opioid Use Disorder Treatm			
Maximum daily limits for buprenorphine co		ply to both the bra	nd and generic form	nulations. The
limit for naltrexone tablets is the limit per 3	30 days.	<u> </u>		T
buprenorphine SL tab		3		01/30/1
ouprenorphine/naloxone buccal film 2.1/0.3mg	Bunavail	2		01/30/1
ouprenorphine/naloxone buccal film 4.2/0.7mg	Bunavail	2		01/30/1
buprenorphine/naloxone buccal film 6.3/1mg	Bunavail	2		01/30/1
buprenorphine/naloxone SL film 2/0.5mg	Suboxone	3		01/30/1
buprenorphine/naloxone SL film 4/1mg	Suboxone	3		01/30/1
buprenorphine/naloxone SL film 8/2mg	Suboxone	3		01/30/1
buprenorphine/naloxone SL film 12/3mg	Suboxone	2		01/30/1
buprenorphine/naloxone tab 0.7/0.18mg	Zubsolv	2		01/30/1
buprenorphine/naloxone tab 1.4/0.36mg	Zubsolv	2		01/30/1
buprenorphine/naloxone tab 2.9/0.71mg	Zubsolv	2		01/30/1
buprenorphine/naloxone tab 5.7/1.4mg	Zubsolv	2		01/30/1
buprenorphine/naloxone tab 8.6/2.1mg	Zubsolv	2		01/30/1
buprenorphine/naloxone tab 11.4/2.9mg	Zubsolv	1		01/30/1
naltrexone tab		40		01/30/1
Antidiabetics				
	Insulin			
	Rapid Acting			
Prescriptions are limited to 60 ml per mon				
Higher doses may be overridden with a pri	ior authorization if the prescriber verifies	the medical nece	ssity of the higher d	ose.
insulin aspart	Fiasp, Novolog	60ml		٨
insulin glulisine	Apidra	60ml		٨
insulin lispro	Admelog, Humalog	60ml		٨
insulin regular	Humulin R, Novolin R	60ml		٨
	Intermediate Acting			
Prescriptions are limited to 60 ml per mon				
Higher doses may be overridden with a pri	ior authorization if the prescriber verifies	the medical nece	ssity of the higher d	ose.
insulin NPH	Humulin-N/Novolin-N	60ml		٨
	Long Acting			
Prescriptions are limited to 60 ml per mon	th.			
Higher doses may be overridden with a pri	ior authorization if the prescriber verifies	the medical nece	ssity of the higher d	ose.
nsulin degludec	Tresiba	60ml		٨
nsulin detemir	Levemir	60ml		٨
insulin glargine	Basaglar, Lantus, Toujeo	60ml		٨
	Mixtures			
Prescriptions are limited to 60 ml per mon				
Higher doses may be overridden with a pri		the medical nece	ssity of the higher d	ose.
insulin degludec/liraglutide	Xultophy	60ml		۸
nsulin glargine/lixisenatide	Soliqua	60ml		٨
nsulin lispro/lispro protamine	Humalog 50/50, 75/25	60ml		٨
nsulin NPH/regular	Humulin 70/30, Novolin 70/30	60ml		٨
	Non-Insulin	331111		
	Biguanides			
The maying madely does in 2550mg. Does				
	aue iiiiiio aie sei accuiuiiiuiv.			
The maximum daily dose is 2550mg. Dosa metformin	Fortamet, Glucophage, Glumetza, Riomet	2550mg		^

Generic Name	Brand Name	Limit	Notes	Date
Central Nervous Syst	 em			
	Hypnotics			
	Benzodiazepines			
Cumulative limit of 30 units in 30	days.			
estazolam		30		٨
flurazepam		30		۸
midazolam		30		۸
temazepam	Restoril	30		۸
triazolam	Halcion	30		^
	Non Benzodiazepines, Non B	arbiturates		
Cumulative limit of 30 units in 30	days.			
doxepin	Silenor	30		^
eszopiclone	Lunesta	30		^
ramelteon	Rozerem	30		^
suvorexant	Belsomra	30		٨
tasimelteon	Hetlioz	30		^
zaleplon	Sonata	30		^
zolpidem SL	Edluar, Intermezzo	30		^
zolpidem, CR	Ambien, CR	30		٨
	Mental Health			
	Anticonvulsants			
Cumulative limit of 120 units in 3	30 days.			
clonazepam	Klonopin	120		^
chlordiazepoxide		120		^
	Anxiolytic Benzodiazer	oines		
Cumulative limit of 120 units in 3				
alprazolam	Xanax	120		^
chlordiazepoxide		120		^
clorazepate	Tranxene	120		^
diazepam		120		^
lorazepam	Ativan	120		^
oxazepam		120		٨
Contraceptives				
	Oral			
	Emergency			
Cumulative limit of 2 kits per mo				
ulipristal .	Ella	2		٨
levonorgestrel	Plan B, others	4		٨

Generic Name	Brand Name	Limit	Notes	Date
Dermatological				
Ť	Local Anesthetic Aç	gents		
Limit of 5 patches per 30 days.				
lidocaine/tetracaine patch 70/70m	g Synera	5		٨
Diagnostic Products				
	Diabetic Test Supp	olies		
Limit of 200 strips per 30 days.				
Abbott Products				
Freestyle Test Strips		200		^
Precision Test Strips		200		٨
Trividia/True Metrix				
TrueTrack Test Strips		200		٨
True Metrix Test Strips		200		٨
Gastrointestinal (GI)				
	Antidiarrheals			
	Antiperistaltic Age	nts		
Cumulative limit of 180 tablets in 3	30 days.			
diphenoxylate/atropine	Lomotil	180		^
loperamide		180		٨
	Laxatives			
	Osmotic Laxative	<u> </u>		
Cumulative limit of 1054g in 30 da	ays.			
PEG-3350		1054		٨
	Ulcer Drugs			
	Proton Pump Inhibi	itors		
Limit of 1 unit per day.		T T		1 .
dexlansoprazole	Dexilant	30		۸
esomeprazole mag	Nexium	30		۸
esomeprazole str	D	30		٨
lansoprazole	Prevacid	30		٨
omeprazole	Prilosec	30		٨
omeprazole/aspirin	Yosprala	30		٨
omeprazole/NaHCO3	Zegerid	30		^
pantoprazole	Protonix	30		۸
rabeprazole	Aciphex	30		٨

Generic Name	Brand Name	Limit	Notes	Date
Hematopoietics				
	Hematopoietic Growth Facto	ors		
Cumulative limit of 30 units in 30 days.				
eltrombopag	Promacta	30		11/01/18
Migraine Agents				
Cumulative limit of 9 dosage units per 30	days - all forms count towards this limit.			
almotriptan	Axert	9		٨
diclofenac packets	Cambia	9		۸
eletriptan	Relpax	9		۸
frovatriptan	Frova	9		٨
naratriptan	Amerge	9		۸
rizatriptan	Maxalt	9		۸
sumatriptan inj	Imitrex inj, Sumavel, Zembrace	9		٨
sumatriptan powder	Onzetra	9		٨
sumatriptan spray	Imitrex spray	9		٨
sumatriptan tab	Imitrex tab	9		٨
zolmitriptan	Zomig	9		۸
Muscle Relaxants				
	Antispasmodic Agents			
Cumulative limits specific to each agent (
carisoprodol	Soma	120		٨
carisoprodol/asa		30		٨
chlorzoxazone	Lorzone	120		٨
cyclobenzaprine	Amrix, Fexmid	90		٨
metaxalone	Skelaxin	360		٨
methocarbamol	Robaxin	180		٨
orphenadrine		60		٨
	Antispasticity Agents			
Cumulative limits specific to each agent (per maximum FDA-approved doses).			
dantrolene	Dantrium	90		٨
tizanidine	Zanaflex	90		۸

	Brand Name	Limit	Notes	Date
Nasal				
	Corticosteroids			
	in any 30-day period is limited for a Medica nit is based on the largest size or strength lys.			
peclomethasone	Beconase AQ	2		٨
peclomethasone	Qnasl	1		٨
ciclesonide	Omnaris	1		٨
ciclesonide	Zetonna	1		٨
lunisolide		2		٨
luticasone furoate	Veramyst	1		٨
luticasone propionate		1		٨
nometasone	Nasonex	1		٨
	Anticholinergics			
strengths for a given product, the lin	in any 30-day period is limited for a Medica nit is based on the largest size or strength			
strengths for a given product, the lin nhalers that may be filled per 30 da	in any 30-day period is limited for a Medica nit is based on the largest size or strength lys.	. The limits are stated		
strengths for a given product, the lin nhalers that may be filled per 30 da aclidinium	in any 30-day period is limited for a Medica nit is based on the largest size or strength lys. Tudorza Pressair	. The limits are stated		number of
strengths for a given product, the lin nhalers that may be filled per 30 da aclidinium glycopyrrolate inhalation cap	in any 30-day period is limited for a Medica nit is based on the largest size or strength. lys. Tudorza Pressair Seebri Neohaler	The limits are stated		number of
strengths for a given product, the lin nhalers that may be filled per 30 da aclidinium glycopyrrolate inhalation cap glycopyrrolate inhalation sol	in any 30-day period is limited for a Medica nit is based on the largest size or strength. lys. Tudorza Pressair Seebri Neohaler Lonhala Magnair	The limits are stated 1 1 1		number of
strengths for a given product, the lin nhalers that may be filled per 30 da aclidinium glycopyrrolate inhalation cap glycopyrrolate inhalation sol protropium	in any 30-day period is limited for a Medicanit is based on the largest size or strength. Tudorza Pressair Seebri Neohaler Lonhala Magnair Atrovent	The limits are stated 1 1 1 2		number of
strengths for a given product, the lin nhalers that may be filled per 30 da aclidinium glycopyrrolate inhalation cap glycopyrrolate inhalation sol protropium iotropium	in any 30-day period is limited for a Medicanit is based on the largest size or strength. Tudorza Pressair Seebri Neohaler Lonhala Magnair Atrovent Spiriva	The limits are stated 1 1 1		number of
strengths for a given product, the lin inhalers that may be filled per 30 da aclidinium glycopyrrolate inhalation cap glycopyrrolate inhalation sol protropium iotropium	in any 30-day period is limited for a Medicanit is based on the largest size or strength lays. Tudorza Pressair Seebri Neohaler Lonhala Magnair Atrovent Spiriva Incruse Ellipta	. The limits are stated		^
strengths for a given product, the lin nhalers that may be filled per 30 da aclidinium glycopyrrolate inhalation cap glycopyrrolate inhalation sol protropium iotropium umeclidinium The cumulative number of inhalers is strengths for a given product, the lin	Tudorza Pressair Seebri Neohaler Lonhala Magnair Atrovent Spiriva Incruse Ellipta Short Acting Beta Agonist in any 30-day period is limited for a Medica	The limits are stated 1 1 2 1 s (SABA) aid member. When the	below represent the	number of A A A A A O sizes or
strengths for a given product, the lin nhalers that may be filled per 30 da aclidinium glycopyrrolate inhalation cap glycopyrrolate inhalation sol protropium iotropium umeclidinium The cumulative number of inhalers i	Tudorza Pressair Seebri Neohaler Lonhala Magnair Atrovent Spiriva Incruse Ellipta Short Acting Beta Agonist in any 30-day period is limited for a Medica	The limits are stated 1 1 2 1 s (SABA) aid member. When the	below represent the	number of A A A A A O sizes or

Brand Name	Limit	Notes	Date
Long Acting Beta Agonists	(LABA)		
is based on the largest size or strength.			
Arcapta	1		٨
Serevent	1		۸
Striverdi	1		٨
Corticosteroids			
is based on the largest size or strength.			
Qvar	1		٨
Pulmicort Flexhaler	1		٨
Aerospan	1		٨
Asmanex HFA	1		٨
Asmanex Twisthaler 110	1		٨
Asmanex Twisthaler 220	2		٨
Alvesco	1		٨
Armonair, Flovent	1		٨
Arnuity Ellipta	1		٨
Combinations			
is based on the largest size or strength.			
Symbicort	1		٨
Advair Diskus, HFA, AirDuo	1		^
Breo Ellipta	1		^
Combivent	2		^
Dulera	1		٨
LABA/LAMA Combinat	ions		
is based on the largest size or strength.			
Bevespi	1		٨
Utibron	1		٨
Stiolto Respimat	1		٨
Trelegy Ellipta	1		٨
	Long Acting Beta Agonists any 30-day period is limited for a Medica is based on the largest size or strength. Arcapta Serevent Striverdi Corticosteroids any 30-day period is limited for a Medica is based on the largest size or strength. Qvar Pulmicort Flexhaler Aerospan Asmanex HFA Asmanex Twisthaler 110 Asmanex Twisthaler 220 Alvesco Armonair, Flovent Arnuity Ellipta Combinations any 30-day period is limited for a Medica is based on the largest size or strength. Symbicort Advair Diskus, HFA, AirDuo Breo Ellipta Combivent Dulera LABA/LAMA Combinat any 30-day period is limited for a Medica is based on the largest size or strength. Bevespi Utibron	Long Acting Beta Agonists (LABA) any 30-day period is limited for a Medicaid member. When the is based on the largest size or strength. The limits are stated is based on the largest size or strength. The limits are stated is limited for a Medicaid member. When the is based on the largest size or strength. The limits are stated is based on the largest size or strength. The limits are stated is limited for a Medicaid member. When the is based on the largest size or strength is limited for a Medicaid member. When the is based on the largest size or strength is limited for a Medicaid member. When the is based on the largest size or strength. The limits are stated is based on the largest size or strength. The limits are stated is based on the largest size or strength. The limits are stated is based on the largest size or strength. The limits are stated is based on the largest size or strength. The limits are stated is based on the largest size or strength. The limits are stated is based on the largest size or strength. The limits are stated is based on the largest size or strength. The limits are stated is based on the largest size or strength. The limits are stated is based on the largest size or strength. The limits are stated is based on the largest size or strength. The limits are stated is based on the largest size or strength. The limits are stated is based on the largest size or strength. The limits are stated is based on the largest size or strength. The limits are stated is based on the largest size or strength. The limits are stated is based on the largest size or strength. The limits are stated is based on the largest size or strength. The limits are stated is based on the largest size or strength.	Long Acting Beta Agonists (LABA) any 30-day period is limited for a Medicaid member. When there are more than two is based on the largest size or strength. The limits are stated below represent the servent

Drugs Requiring Prior Authorization

Generic Name	Brand Name	Notes	Date
Special PA Forms			
PA Forr	ns that are not specific to a dr	ug or drug class	
Brand Name	-		12/20/18
Combination Product			01/04/19
Dosing Kit			01/04/19
Hemophilia Additional Nursing Visits			07/27/18
New to Market Drugs			01/04/19
Non-Preferred PA			12/27/18
Off Label use of FDA-approved drugs			09/11/18
Quantity Override Request			01/04/19
Step Therapy			01/03/19
Drug Class PA Forms			
	rms that are for a disease state	e or drug class	
Androgens			12/20/18
Botulinum Toxins			12/20/18
Buprenorphine Single and Combo Agents	(oral)		12/20/18
Butalbital Products			12/20/18
CGRP Antagonists			01/04/19
Cystic Fibrosis Gene Therapies			12/11/18
Growth Hormone			12/27/18
Growth Hormone AIDS			12/27/18
Hepatitis C			01/04/19
Lidocaine (topical)			12/27/18
Naltrexone Quantity Override			12/27/18
Opioids			01/03/19
PAMORAs			12/27/18
PCSK9 Inhibitors			12/27/18
PPI			12/27/18
Pulmonary Arterial Hypertension (PAH)			01/04/19
Retinoids (Topical)			12/27/18
Topical Immunomodulators			08/27/18

Drugs Requiring Prior Authorization

Generic Name	Brand Name	Notes Date	e
Individual Drug PA Form	s		
marriada. Brag i 7 i omi	PA Forms that are for a specific of	Irua	
agalsidase beta ^J	Fabrazyme	12/27	 7/18
alitretinoin	Panretin	12/27	7/18
alpha-1 proteinase inhibitor ^J	Aralast	12/20	0/18
alpha-1 proteinase inhibitor ^J	Prolastin, Zemaira	12/27	7/18
aprepitant, fosaprepitant	Emend	12/27	7/18
aripiprazole with sensor	Abilify MyCite	01/04	<mark>4/19</mark>
armodafinil, modafinil	Nuvigil, Provigil	12/27	
baricitinib	Olumiant	06/19	9/18
bedaquiline	Sirturo	09/18	8/18
benralizumab	Fasenra	12/27	7/18
bevacizumab ^J	Avastin	12/20	0/18
binimetinib	Mektovi	12/20	
brantuximab vedotin	Adcetris	12/20	0/18
bromocroptine	Cycloset	12/20	
burosumab	Crysvita	12/20	0/18
cannabidiol	Epidiolex	01/04	
deflazacort	Emflaza	01/04	4/19
desmopressin	Nocdurna	12/27	7/18
dextromethorphan/quinidine	Nuedexta	09/11	1/18
dupilumab	Dupixent	12/27	7/18
elagolix	Orilissa	09/18	8/18
emicizumab	Hemlibra	11/06	6/18
encorafenib	Braftovi	12/20	0/18
eteplirsen ^J	Exondys 51	01/03	<mark>3/19</mark>
glycopyrronium	Qbrexza	12/20	0/18
hyaluronic acid ^J		12/27	7/18
hydroxyprogesterone caproate	Makena	12/27	7/18
infliximab	Inflectra, Remicade	12/27	7/18
inotersen	Tegsedi	11/06	6/18
laronidase ^J	Aldurazyme	12/20	0/18
lofexidine	Lucemyra	11/06	6/18
mecasermin ^J	Increlex	12/27	7/18
methadone		10/05	5/18
mixed pollens allergen extract	Oralair	12/27	7/18
nurinersen	Spinraza	10/01	1/18
ocrelizumab ^J	Ocrevus	11/21	1/18
omalizumab ^J	Xolair	12/27	7/18
opthalmic cyclosporine	Restasis, Cequa	01/04	<mark>4/19</mark>
oxandrolone	Oxandrin	12/27	7/18
palivizumab	Synagis	12/14	4/18
palonosetron ^J	Aloxi	12/20	ე/18
patisiran ^J	Onpattro	12/27	7/18
pegademase bovine ^J	Adagen	12/20	0/18

Drugs Requiring Prior Authorization

Generic Name	Brand Name	Notes	Date
pegloticase ^J	Krystexxa		12/27/18
phenylbutyrate (glycerol)	Ravicti	1	11/06/18
phenylbutyrate (sodium)	Buphenyl	1	11/06/18
ragweed pollen allergen extract	Ragwitek	1	12/27/18
rifaximin	Xifaxan	1	12/27/18
sacubitril/valsartan	Entresto	1	12/27/18
simvastatin	Zocor	1	12/27/18
sodium oxybate	Xyrem	1	12/27/18
sorafenib	Nexavar	1	12/27/18
sunitinib	Sutent	1	12/27/18
teriparatide	Forteo	1	12/27/18
tildrakizumab	Ilumya	1	12/27/18
timothy grass pollen allergen extract	Grastek	1	12/27/18
tisagenlecleucel ^Q	Kymriah	1	12/27/18
vestronidase alfa	Mepsevii	1	12/27/18
voretigene neparvovec ^J	Luxturna	1	12/27/18

Utah Medicaid Drug Criteria Limits Explanations

Last Modified January 1, 2019

Explanations

Drugs with Criteria and Limits

Many drugs in the Medicaid pharmacy program do not require a Prior Authorization (PA), but are still subject to restrictions that are outlined in the Medicaid Pharmacy Services Manual and the Medicaid Physician Services Manual. This section serves as a quick reference for the specific policies that govern coverage of these drugs.

In accordance with the Utah Medicaid Provider Manual for Pharmacy Services, SECTION 3, Chapter 5, Limitations, some drugs are limited by a quantity in any thirty-day (30) period. The limits listed are those approved by the Medicaid Drug Utilization Review (DUR) Board. Prescribers who feel that a patient has specific needs that exceed the limits may submit a prior authorization request using the Quantity Override Request form that is available online.

All medications remain subject to all other requirements of the Utah Medicaid Pharmacy Program, as described in the Utah Medicaid Manual for Pharmacy Services.

Unless otherwise stated in this attachment, limits apply to both the brand-name and generic formulations of the listed drugs.

Unless otherwide noted, listed limits are for a one month (30 days) supply. The per day limit for a drug is equal to 1/30th of the monthly limit.

Drugs Requiring Prior Authorization

Certain drugs that are covered by the Medicaid program may require the patient and prescriber to meet specific criteria and demonstrate medical necessity in order to receive the requested medication. Detailed information regarding prior approval criteria for individual medications and classes of medications is provided in this attachment.

Please note that prior authorization for a medication is Medicaid member specific and product specific. Prior authorization cannot be transferred to another product, nor to another strength of a product that has been approved. The prior authorization also cannot be transferred to another Medicaid member.

To initiate a prior authorization request, the prescriber must obtain the most current criteria sheet from the Medicaid Pharmacy

Services Website at https://medicaid.utah.gov/pharmacy/prior-authorization and gather all of the records that are requested in the criteria set for the medication being prescribed. The requests can be faxed to (855) 828-4992. The criteria sheet must be completely and legibly filled out and must be accompanied by all requested information. Incomplete or illegible requests will be returned to the prescriber without being processed by Medicaid and may result in denial.

Drugs Requiring Diagnosis Codes

Utah Medicaid pharmacy claims requiring a diagnosis code will require a current valid ICD-10 code.

Cumulative limits on narcotic analgesics are waived for the current treatment of cancer-related pain. The prescriber must provide an appropriate current diagnosis code for cancer on prescriptions for these drugs.

When prescribing an opioid for cancer-related pain, the prescriber is responsible to provide a valid ICD code for cancer-related pain (G89.3 Neoplasm related pain) on the face of prescription. The current diagnosis code may be hand-written by the prescriber on the prescription or computer generated by prescribing software. Pharmacy providers may also obtain a current diagnosis code verbally from a prescriber, and note the date, time, and name of the prescriber's representative providing the current diagnosis code on the original hard-copy prescription. The dispensing pharmacist must enter that current diagnosis code into the appropriate diagnoses field when processing a claim.

If a pharmacy fills an opioid analgesic prescription that does not comply with the requirements above, funds paid by Medicaid will be recovered through post-payment review.

Many of the drugs and classes listed in this document are also on the Preferred Drug List (PDL). Any drugs or classes listed herein are also subject to the limitations of the PDL if they are listed in the current version of the PDL. See https://medicaid.utah.gov/pharmacy/preferred-drug-list.

Psychotropic Medication Classes on the Utah Medicaid Preferred Drug List

Utah Medicaid has psychotropic drugs on the Preferred Drug List (PDL). For the purposes of the Preferred Drug List, psychotropic medications are defined as atypical antipsychotics, anti-depressants, anti-convulsants/mood stabilizers, anti-anxiety medications, and attention deficit hyperactivity disorder (ADHD) stimulants.

Utah Medicaid Drug Criteria Limits Explanations

Last Modified January 1, 2019

Explanations

Non-preferred psychotropic medication classes listed on the PDL may bypass the non-preferred drug prior authorization if a prescriber writes "dispense as written" on a prescription and the pharmacy submits a Dispense As Written (DAW) Code of "1" on the claim.

The prescriber is expected to provide services of quality that meet professionally recognized standards of care and can be substantiated by records including evidence of medical necessity.

Note: In accordance with UCA 58-17b-606 (4) and (5), the DAW Code will not allow claims for the brand-name version of multisource drugs to bypass the prior authorization requirement, even if the brand-name version of the drug is listed as non-preferred and the prescriber writes "dispense as written" on the prescription. If the brand-name version is preferred over the generic formulation due to cost, the non-preferred brand-name drug may bypass the prior authorization requirement instead of the generic formulation.

Utah Medicaid Drug Criteria Limits Footnotes

Last Modified January 1, 2019

	Symbols and Footnotes				
*	Clinical PA required	PA Critera Forms			
**	Clinical PA required in some cases - se	ee specific PA criteria for details			
†	Brand Required Over Generic.	Refer to Brand Over Generic (BOG) reference in the Resource Library			
‡	Quantity Limits Apply.	Drug Criteria and Limits Attachment to the Pharmacy Manual			
#	May be filled for up to a 90-day supply	Utah Medicaid 90-Day Supply Medication List			
##	Must be dispensed directly to the provider, not the patient				
٨	Added to reference before dates were tracked				
^^	Part of more than one PDL drug class				
¶	Indicates that additional pertinent information can be found in the center area between preferred and non-preferred drugs				
J	Covered under the medical benefit using the appropriate J code				
Q	Covered under the medical benefit using the appropriate Q code				
§	Step Therapy required. Must fail another	er preferred agent first			

Pursuant to HB 437, passed during the 2016 General Session, Utah Medicaid began placing psychotropic drugs on the Preferred Drug List (PDL) effective July 1, 2016. For the purposes of the Preferred Drug List, psychotropic medications are defined as atypical antipsychotics, anti-depressants, anti-convulsants/mood stabilizers, anti-anxiety medications, and attention deficit hyperactivity disorder (ADHD) stimulants. The first class that will be placed on the PDL in July will be ADHD stimulants with other classes being added in subsequent quarters.

Non-preferred psychotropic medication classes listed on the PDL may bypass the non-preferred drug prior authorization if a prescriber writes "dispense as written" on a prescription and the pharmacy submits a Dispense As Written (DAW) Code of "1" on the claim.

Note: In accordance with UCA 58-17b-606 (4) and (5), the DAW Code will not allow claims for the brand-name version of multisource drugs to bypass the prior authorization requirement, even if the brand-name version of the drug is listed as non-preferred and the prescriber writes "dispense as written" on the prescription. An exception to this is in the case that a brand-name drug is listed on the Brand Over Generic reference; in that case, the DAW Code will only override the brand-name drug.

Note: In order for a prescription to be eligible for the pharmacy to submit the DAW Code of "1" to bypass the edit for a non-preferred medication the prescriber must write "dispense as written" on the physical prescription. Check boxes or pre-printed forms that include "dispense as written" are not acceptable substitutes for the prescriber writing "dispense as written" on the prescription. Electronic prescriptions must state "dispense as written" as either a note or as part of the prescription drug order to satisfy this requirement. Verbal orders that include "dispense as written" must be reduced to writing on the prescription by the pharmacist accepting the verbal order and documented in the member's medical record.

*** The following meter NDCs are covered through Medicaid:

Abbott True Metrix
99073-0711-43 56151-1490-02
99073-0709-14 56151-1470-02
99073-0708-05 56151-0888-80
57599-8814-01
57599-5175-01

Abbott meters may also be billed to the manufacturer using the following:

RxBIN: 610020

Group number: 99992432

ID: ERXUTMED

Free for Medicaid members

Diabetic test supplies are not covered for Nursing Home clients.

Non-preferred products must be billed through DME.

Utah Medicaid Drug Criteria Limits Key

Last Modified August 1, 2018

Key Selected Abbreviations				
				Drug Name
amph	amphetamine	aug	augmented	
арар	acetaminophen	cap	capsule	
asa	aspirin	chw	chewable	
bac	bacitracin	con	concentrate	
bp	benzoyl peroxide	crm	cream	
out	butalbital	emul	emulsion	
caf	caffeine	inj	injection	
damph	dextroamphetamine	liq	liquid	
dhe	dihydroergotamine	lot	lotion	
dmph	dexmethylphenidate	loz	lozenge	
ee	ethinyl estradiol	neb	nebulization solution	
hc	hydrocortisone	ODT	orally disintegrating tablet	
hctz	hydrochlorothiazide	oint	ointment	
ibu	ibuprofen	shmp	shampoo	
mph	methylphenidate	SL	sublingual	
NaHCO₃	sodium bicarbonate	sol	solution	
ooly	polymyxin	sup	suppository	
sa	sulfacetamide	susp	suspension	
ss	sodium sulfacetamide	syp	syrup	
ac	triamcinolone	tab	tablet	
Brand/Generic			Salt Form	
В	Brand	buty	butyrate	
3G	Both Brand and Generic	dip	dipropionate	
G	Generic	HCI	hydrochloride	
		mag	Magnesium	
		Na	sodium	
		NaPO ₄	sodium phosphate	
		pam	pamoate	
		str	Strontium	